

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

FIG: 1



Title: PASSENGER PROTECTING  
APPARATUS

Inventor(s): Ryoji SAIGUCHI et al.  
086142/0606





FIG. 4




Fig. 5a





Fig. 5b



Title: PASSENGER PROTECTING  
APPARATUS

Inventor(s): Ryoji SAIGUCHI et al.  
086142/0606






FIG. 8







FIG. 9













FIG. 16




FIG. 17







FIG. 18








FIG. 22




FIG. 23






FIG. 24




FIG. 25







FIG. 26










FIG. 30







Fig. 31











Title: PASSENGER PROTECTING  
APPARATUS

Inventor(s): Ryoji SAIGUCHI et al.  
086142/0606








Fig. 37a




Fig. 37b







FIG. 38













FIG. 42






FIG. 44





FIG. 45



Title: PASSENGER PROTECTING  
APPARATUS

Inventor(s): Ryoji SAIGUCHI et al.  
086142/0606






FIG. 48



TO BUCKLE OR  
LAP ANCHOR

FIG. 49

TO AIR BELT




FIG. 50




Fig. 51a




Fig. 51b






Fig. 52a




Fig. 52b




Fig. 53a





Fig. 53b



TO BUCKLE OR  
LAP ANCHOR

FIG. 54

TO AIR BELT




FIG. 55

TO BUCKLE OR  
LAP ANCHOR




FIG. 56







FIG. 57









FIG. 60






FIG. 6 I

